BEAAAAPP Pain Scale for Cats



	Many signs	of chronic pain	n are	non-specific. Make sure to see your vet to rule	e ou	t other disease as a cause of these signs.
				B: Breathing normally		A: Eating and drinking normally
)	人	RI		E: Eyes bright and alert		A: Happy and content; interested in surroundings; playful behavior; seeks attention
o in	人行人)) [A: Walks normally and remains agile		P: Comfortable at rest and during play; perky ears; upright, alert tail; whiskers relaxed
				A: Engages in play and all normal activities		P: Enjoys being touched, petted and brushed; no body tension present
-2	0.9			B: Breathing normally		A: Eating and drinking normally
ild	143			E: Eyes bright and alert		A: Will often still remain happy and interested in surroundings
ain to your			A: Slightly more hesitant to jump onto very high places such as counter tops but still able to easily jump onto couch or bed		P: Tail may be down just a little more; ears up; whiskers generally appear relaxed	
luring r next ntment	all by) [A: May show only subtle change in normal activity and behaviors		P: Enjoys being touched, petted and brushed; no body tension present
1	6			B: Breathing generally normal but may be at slightly increased rate		A: Appetite more finicky, such as wanting only treats or "junk" food such as canned food
-4 lerate				E: Eyes may be slightly more dull in appearance; eyes may be held partially closed		A: Generally more subdued and quiet
ain	(6) (1)	35.7		A: Hesitant to jump to higher places; may also not jump onto lower places, such as couch or bed		P: Difficulty posturing to eliminate or cover waste; subtle changes in posture; tail held low and ears more flattened, whiskers slightly down
our vet ess pain				A: Not eager to interact but still in tune with surroundings; changes in normal routine; may hide; decreased grooming		P: Does not mind touch except on painful area; turns head to look where touched; mild body tension
_			B: Breathing rate and effort may be increased		A: Will frequently lose appetite	
-6 erate	(d'à			E: Dull eyes; eyes may remain partially or fully closed; pupils may be more dilated		A: Very subdued and quiet; increased facial tension; decreased enjoyment of being brushed
evere			ju	A: Moves more slowly or gingerly; no longer jumps up onto couch or bed; difficulty on stairs A: Withdraws from family and other pets; seeks		P: "Meatloaf" position; whiskers move forward slightly from face; rough or fluffed up fur; difficult
RNING! our vet			solitude; decreased grooming; may excessively lick painful area; may have "accidents" outside the litter box		posturing to eliminate or cover waste fully P: Pulls away painful area or tries to escape; moderate body tension when being touched	
Annicontribution of the Contribution of the Co			B: Faster breathing rate with more noticeable effort		A: Loss of appetite; may not want to drink	
-8	7 50		$\overline{\sqcap}$	E: Dull eyes; generally remain partially or fully closed; may have distressed look; pupils dilated		A: Reclusive; agitated; potentially aggressive; tail flicking; may be growling or hissing
vere ain			\Box	A: Unlikely to move if left alone		P: Tail held close, ears flattened or pinned back, whiskers move forward and tend to bunch; "grimace face"; flattened posture
ERY ERNINGI our vet	-		口	A: Avoids all interaction; will "go off" and hide, often in new places; stops grooming; frequently licks or chews at painful area, sometimes to the point of fur loss		P: Significant body tension when painful area touched; may growl or hiss in pain; guards painful area by pulling away or trying to escape
				B: Increased breathing rate and effort; may have		A: No interest in food or water
10 orst				periods of open-mouthed breathing or panting E: Dull, closed eyes; eyes may also widen with a look of panic; pupils dilated		A: Extremely depressed or minimally responsive ("flat out"); quiet, growling or hissing; distressed
ain sible	1	TON?		A: Unable or unwilling to walk		P: Lying on side; tail may appear "fluffed"
GENCYI our vet			A: Difficulty in being distracted from pain, even with gentle touch or soothing voice; may bite or chew painful area; may eliminate where lying		P: Rigid body tension when touched; will not tolerate touch of painful area; hissing when other areas that are not painful are touched	
Specific behaviors or physical changes I see:						
	Eyes:					
			4			
A	Appetite:					
A A	Activity:					



Palpation: